

No Flu Vaccination (Adults Age 65+)

No Flu Vaccination (Adults Age 65+)

- Most recent data (2013): 36% or about 82,600 King County adults age 65+.
- Trend over time: 2001-13: rising
- Description: Did not have a flu shot within the past year

No flu vaccination (adults age 65+), King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (adults age 65+)	34	32	36
AGE			
65+	34	32	36
GENDER			
Male	34	30	37
Female	34	31	36
RACE/ETHNICITY			
AIAN	*	*	*
Asian	26	18	36
Black	47	35	59
Hispanic	28 §	14 §	49 §
Multiple	39	24	57
NHPI	*	*	*
White	34	32	36
HOUSEHOLD INCOME			
<\$15,000	37	26	50
\$15,000 to \$24,999	34	28	40
\$25,000 to \$34,999	27	23	33
\$35,000 to \$49,999	34	30	38
\$50,000 to \$74,999	35	31	40
\$75,000+	34	29	39
REGION			
East	33	29	36
North	30	24	37
Seattle	34	30	38
South	36	33	39

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

CI is 95% Confidence Interval.


* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

No flu vaccination (adults age 65+)

King County, 2009-2013 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

-----| Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

No flu vaccination (adults age 65+) by comparison areas

The Healthy People 2020 Objective for no flu vaccination (adults age 65+) is 30%.

	Latest Available Year	Percent	Lower CI	Upper CI
United States	2013	37	N/A	N/A
WA State	2013	39	N/A	N/A
King County	2013	36	32	41

Notes:


Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

N/A: Not available.

CI is 95% Confidence Interval.

No flu vaccination (adults age 65+) by comparison areas



Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.
|-----| Confidence interval shows range that includes true value 95% of the time.

No flu vaccination (adults age 65+) by health reporting areas, King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (adults age 65+)	34	32	36
Auburn	42	32	53
..Auburn-North	42	30	55
..Auburn-South	43	26	61
Bear Creek/Carnation/Duvall	37	28	47
Bellevue	32	26	38
..Bellevue-Central	37	27	47
..Bellevue-NE	30	21	39
..Bellevue-South	31	17	50
..Bellevue-West	31	21	42
Black Diamond/Enumclaw/SE County	35	27	44
Bothell/Woodinville	29	18	43
Burien	30	19	43
Covington/Maple Valley	32	21	45
Des Moines/Normandy Park	36	26	48
East Federal Way	43	29	58
Fairwood	35	23	49
Federal Way	34	24	44
..Fed Way-Central/Military Rd	34	22	50
..Fed Way-Dash Point/Woodmont	32	21	47
Issaquah	32	19	47
Kenmore/LFP	30	19	45
Kent	34	26	42
..Kent-East	48	32	65
..Kent-SE	29	20	40
..Kent-West	*	*	*
Kirkland	35	25	45
..Kirkland	38	24	53
..Kirkland North	31	21	42
Mercer Isle/Pt Cities	20	14	29
Newcastle/Four Creeks	46	32	61
North Highline	*	*	*
Redmond	32	20	45
Renton	36	28	46
..Renton-East	*	*	*
..Renton-North	*	*	*
..Renton-South	34	23	47
Sammamish	35	23	49
SeaTac/Tukwila	48	34	61
Seattle	34	30	38
..Ballard	27	17	38
..Beacon/Gtown/S.Park	*	*	*
..Capitol Hill/E.lake	32	19	48
..Central Seattle	48	33	64
..Delridge	36	22	52
..Downtown	26 §	13 §	47 §
..Fremont/Greenlake	46	23	71
..NE Seattle	28	20	39
..North Seattle	32	23	43
..NW Seattle	40	30	51
..QA/Magnolia	29	21	38
..SE Seattle	28	17	43
..West Seattle	35	26	44
Shoreline	31	23	39
Snoqualmie/North Bend/Skykomish	48	34	62
Vashon Island	23	13	37

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.


Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

No flu vaccination (adults age 65+) by health reporting areas King County, 2009-2013 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order
Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.

No flu vaccination (adults age 65+) King County, 2001-2013, three-year rolling averages



Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
01/15

King County
Hospitals
for a Healthier
Community